

19, *EPICAUTA chinensis*, elongata, nigra; capitis lateribus postice maculaque frontali, rufis, elytrorum margine, antennarum basi, scutello, corpore subtus pedibusque anticis cinereo-pubescentibus; ♂ antennis flabellatis. Long. $7\frac{1}{2}$ l. — lat. 2 l.

20, *CLYTUS diadema*, niger, punctatus, opacus; capite, thoracis marginibus sinuatis; scutello, elytrorum maculis obliquis tribus, fasciis duabus posticis, corpore subtus pedibusque cinereo-pubescentibus; elytris apice oblique truncatis. Long. 4—5 l. — lat. $1-1\frac{1}{2}$ l.

21, *APRIONA plicicollis*, magna, elongata, punctatissima, nigra, densissime testaceo-pubescentis; capite longitudinaliter subimpresso; antennis longissimis, cano-annulatis; thorace transverse implicato; elytris antice tuberculatis, apice quadrispinosis. Long. 15—19 l. — lat. $4\frac{1}{3}-5\frac{1}{2}$ l.

22, *CEROSTERNA glabripennis*, nigra, nitida, supra subaenea, subtus incana; antennis albo-annulatis; elytris albo-maculatis fere glabris, antice tuberculis nullis. Long. $8\frac{1}{2}-14\frac{1}{2}$ l. — lat. 3—5 l.

23, *AEGOSOMA amplicollis*, elongata, postice attenuata, opaca, cinnamomea; capite cylindrice, inter oculos testaceo-piloso, parcius tuberculato; thorace transverso, maculis quatuor testaceo-pilosis; angulis anticis ampliatis; elytris subconvexis, tuberculis basali-bus indistinctis, angulis anticis obtusis, minus productis; antennarum articulo 1:o tertio longitudinem fere aequali. Long. 12—19 l. — lat. $3\frac{1}{3}-5\frac{1}{2}$ l.

24, *CRYPTORHYCHUS?* *scrobiculatus*, oblongo-ovatus, postice attenuatus, profunde scrobiculatus, niger, tho-